


Declaration of Performance			
DOP No : 002			
1. Product type:	Double-glazed PVCu casement sash window		
2. Product type number:	002-13		
3. Intended use:	Not on escape route		
4. Manufacturer:	Nolan Upvc Ltd,Johnstown,Carmarthen,SA31 3BP		
5. Authorised representative:	Jason James – address as in point 4		
6. System of assessment of performance:	3		
7. Reference harmonised standard:	BS EN 14351–1:2006 + A1:2010 BSI performed test and issued report no 2370/7973745		
8. European Technical Assessment:	Not applicable		
9. Declared performance:			
	Essential Characteristic	Performance	Harmonised Technical Specification
9.1	Resistance to wind load	Class E (2400 Pa)	BS EN 14351-1:2006 + A1:2010
9.2	Watertightness	Class 7A (300 Pa)	
9.3	Dangerous substances	None	
9.4	Load-bearing capacity of safety device	350 N	
9.5	Acoustic performance	npd	
9.6	Thermal transmittance	< 1.61 W/(m ² .K) (A)	
9.7	Radiation properties	npd	
9.8	Air permeability	Class 2 (300 Pa)	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>..Jason James General Manager..... (name & title)</p> <p>..Carmarthen, 24/6/13..... (place and date of issue)</p> <p style="text-align: right;">(signature) </p>			